



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
AND CITIES OF THE UNITED STATES (untabulated).

CONNECTICUT—*Stamford*.—Month of July, 1911. Population, 25,138. Total number of deaths from all causes not reported. Cases reported: Diphtheria 2, scarlet fever 2, tuberculosis 2.

FLORIDA.—Week ended July 22, 1911. Reports from the State board of health show diphtheria present in 1 locality (Ibor City), with 1 case, malaria in 4 localities with 28 cases, smallpox in 4 counties with 6 cases, tuberculosis in 5 localities with 8 cases, typhoid fever in 6 localities with 14 cases.

IOWA.—Month of June, 1911. Population, 2,224,771. Total number of deaths from all causes, 1,515, including diphtheria 5, measles 5, scarlet fever 5, smallpox 1, tuberculosis 127, typhoid fever 10.

MICHIGAN.—Month of June, 1911. Population, 2,810,173. Total number of deaths from all causes, 2,601, including diphtheria 16, measles 17, scarlet fever 13, tuberculosis 227, typhoid fever 33. Cases reported: Diphtheria 201 in 41 localities, measles 257 in 49 localities, scarlet fever 282 in 60 localities, smallpox 38 in 14 localities, tuberculosis 159, typhoid fever 96.

NEW JERSEY.—Month of July, 1911. Population, 2,537,167. Total number of deaths from all causes, 2,706, including diphtheria 33, measles 19, scarlet fever 24, tuberculosis 335, typhoid fever 16.

NEW YORK—*Rome*.—Month of July, 1911. Population, 20,497. Total number of deaths from all causes, 33. No deaths from contagious diseases. Cases reported: Diphtheria 4, measles 42, scarlet fever 2, tuberculosis 1, typhoid fever 1.

TEXAS.—Month of May, 1911. Population, 3,896,542. Total number of deaths from all causes, 2,664, including diphtheria 7, measles 49, scarlet fever 18, smallpox 4, tuberculosis 321, typhoid fever 71. Cases reported: Diphtheria 33, measles 19, scarlet fever 123, smallpox 128, tuberculosis 83, typhoid fever 123.